

WR-38  
DATE:

API # 47-107-02249-P

49-02249P

STATE OF WEST VIRGINIA  
DIVISION OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Downs Operator Well No.: Mae downs #1

LOCATION: Elevation: 1313' Quadrangle: Grant town  
District: Lincoln County: Marion  
Latitude:  Feet South of  Deg.  Min.  Sec.  
Longitude:  Feet West of  Deg.  Min.  Sec.

Well Type: OIL X GAS

Company: WVDEP Plugging  Coal Operator   
601 57<sup>th</sup> Street  or Owner   
Charleston, WV 25301

Agent: James Martin Coal Operator   
or Owner

Permit Issued Date: 2/12/2012

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of Roane ss:

Randy Dustin and Daniel Duckworth being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Dave Gilbert Oil and Gas Inspector representing the Director, say that said work was commenced on the 14th day of February, 2012, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	805	618		103/4 640
Cement	400	300		RECEIVED
Cement	105	Surface		Office of Oil & Gas
				APR 08 2013
Well T.D. 805	Gel Between cement plugs			WV Department of
				Environmental Protection
Erect a	Monument	With the	API attached	

Description of monument: 6 to well w/the API number attached and that the work of plugging and filling said well was completed on the 4th day of April, 2013.

And further deponents saith not.

Sworn and subscribe before me this  day of , 19  
My commission expires:

Notary Public

Oil and Gas Inspector: Dave Gilbert 4/4/13

COPY  
ORIGINAL

51-00200P

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS

Coal Operator or Owner  
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041  
Address

CONSOLIDATION COAL CO. RIVER OPERATIONS

Coal Operator or Owner  
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041  
Address

WHEELING CREEK WATERSHED COMMISSION

Lease or Property Owner  
1 BALL PARK DRIVE McMECHEN, WV 26040  
Address

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS

Name of Well Operator  
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041

Complete Address

MAJORSVILLE, WV 7.5

Well Location

WEBSTER

District

MARSHALL

County

SGW-184

Well No.

WHEELING CREEK WATERSHED

Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

3-20-13

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

MARK WILSON and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 22<sup>nd</sup> day of January, 2013 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Plugs Used Size & Kind	Casing Pulled	Casing Left In
Formation				
Removed 983' of 4 ½" casing from the surface to 983'. Left 843' of 4 ½" casing in the hole from 983' to 1826' because the casing is bonded. Cut 4 ½" casing left in the hole at the following depths: 1714', 1618', 1493', 1367', 1243' and 1117'. Preferred 4 ½" casing at the following depths: 1660', 1560', 1400', 1300' and 1150'. Cemented bottom hole from 1836' to 981' with 55 sacks of Expandable Cement with Gas Blocker additive. Removed 776' of 7" casing from the surface to 776'. Left unknown amount of 7" casing in the hole from 776' to unknown depth because casing is bonded. Cut remaining, 7" casing at the following depth: 980'. Removed 766' of 8 5/8" casing from the surface to 766'. Left unknown amount of 8 5/8" casing in the hole from 766' to unknown depth because casing is bonded. Cut remaining 8 5/8" casing at the following depth: 876'. Removed all 10 ¾" casing from the surface to 672' with extreme difficulty. Cleaned 12 ¼" hole through the Pittsburgh Coal seam from 637' to 644'. Left 10' of 16" conductor casing in the hole from the surface to 10'.		16" Casing 10 ¾" Casing 8 5/8" Casing 7" Casing 4 ½" Casing	0' 672' 766' 776' 983'	110' 0' Unknown Unknown 843'
<u>Cemented hole from bottom hole plug at 981' back to surface as follows:</u> From 981' to 844' with Expandable Cement. From 844' to 537' with 235 sacks of Thixotropic Cement with dye. From 537' to the surface with Expandable Cement. A total of 350 sacks of Expandable Cement was used to cement the hole. A total of 640 sacks of Thixotropic Cement and Expandable Cement was used to fill the hole from 1836' to surface. Cement did circulate at the surface.		RECEIVED Office of Oil & Gas APR 8 2013 WV Department of Environmental Protection Coe 3/20-1		
Coal Seams		Description of Monument		
Pittsburgh Coal	637' to 644'	77" of 7" casing w/ company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the		
(Name)		cement plug at around level.		

... and that the work of plugging and filling said well was completed on the 19<sup>th</sup> day of February, 2013

And further deponents saith not.

Mark Wilson  
Mark Wilson

Kevin S. Wright  
Kevin S. Wright

Sworn to and subscribed before me this 19<sup>th</sup> day of March 2013

My commission expires: 9-12-20



NOTARY PUBLIC OFFICIAL SEAL  
STATE OF WEST VIRGINIA  
CAROLEA MAYLE  
495 BUCKEYE RD.  
GURL, WV 26541

Carol A. Mayle  
Notary Public

Permit No. 47-051-00200-P  
No. SGW-184

51-003308

FORM WR-38  
(Affidavit of Plugging)

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENERGY  
OIL AND GAS WELLS DIVISION

ORIGINAL  
COPY

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS

Coal Operator or Owner  
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041  
Address

CONSOLIDATION COAL CO. RIVER OPERATIONS

Coal Operator or Owner  
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041  
Address

CHARLES ALBERT WITSBERGER II

Lease or Property Owner  
250 DRY RIDGE ROAD, CAMERON, WV 26033  
Address

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS

Name of Well Operator  
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041  
Complete Address

MAJORSVILLE, WV 7.5  
Well Location

WEBSTER  
District

MARSHALL  
County

SGW-150  
Well No.

WITSBERGER, CHARLES ALBERT  
Farm

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

MARK WILSON and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 20<sup>th</sup> day of February, 2013 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Plugs Used Size & Kind	Casing Pulled	Casing Left In
<p>Cleaned 7" casing from the surface to 1847'. Tagged solid plug at 1847'. Ran cement bond log on 7" casing. Cement bond log indicated that the 7" casing was bonded in the hole from 1794' to the surface. Left 1794' of 7" casing in the hole from the surface to 1794'. Cut 7" casing at the following depths: 1685', 1590', 1490', 1173', 1077' and 370'. Perforated 7" casing with 6 shots at the following depths: 1430', 1230', 1130' and 972'. Section milled a 10' window in 7" casing from 1310' to 1320'. Cemented bottom hole from 1847' to 887' with 120 sacks of Expandable Cement with Gas Blocker additive. Jet cut 7", 8 5/8" and 10 1/2" casing at the following depths: 872', 822', 772', 722', 673', 670.5', 668', 665.5', 663', 660.5', 603' and 508'. Jet cut 7", 8 5/8" and 10 1/2" casing through the Pittsburgh Coal seam from 665' to 672'. Left 10' of 16" conductor casing in the hole from the surface to 0'.</p> <p>Cemented hole from bottom hole plug at 887' back to surface as follows: From 887' to 565' with 80 sacks of Thixotropic Cement with green dye. From 565' to the surface with 70 sacks of Expandable Cement. A total of 270 sacks of Thixotropic Cement and Expandable Cement was used to fill the hole from 1836' to surface. Cement did circulate at the surface.</p>		16" Casing	0'	10'
		13 3/8" Casing	0'	63'
		10 1/2" Casing	0'	687'
		8 5/8" Casing	0'	1273'
		7" Casing	0'	1794'
Coal Seams		Description of Monument	<p><b>RECEIVED</b> Office of Oil &amp; Gas APR 08 2013 WV Department of Environmental Protection</p>	
Pittsburgh Coal	665' to 672'	77" of 7" casing w/ company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the		
(Name)		cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 7<sup>th</sup> day of March, 2013

And further deponents saith not.

Mark Wilson  
Mark Wilson

Kevin S. Wright  
Kevin S. Wright

Sworn to and subscribed before me this 15<sup>th</sup> day of March 2013

My commission expires: 9-12-2017



NOTARY PUBLIC OFFICIAL SEAL  
STATE OF WEST VIRGINIA  
CARDLEA MAYLE  
455 BUCKEYE RD  
COWIE WV 26041  
Permit No. 47-051-00330-P  
Well No. SGW-150

Rev (5-01)

WR-38

DATE: 02/18/11

API#

47-061-00544

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: E B Toothman Operator Well No.: 2

LOCATION: Elevation: 1191 Quadrangle: Mannington  
District: Clay County: Monongalia  
Latitude: Feet South of Deg. Min. Sec.   
Longitude: Feet West of Deg. Min. Sec.

Well Type: OIL X GAS

Company: East Resources, Inc Coal Operator  
P O Box 5519 or Owner  
Vienna, WV 26105

Agent: Philip S Ondrusek Coal Operator  
or Owner

Permit Issued Date: 12/15/2010

AFFIDAVIT

STATE OF WEST VIRGINIA,

County of Ritchie ss:

Kyle Perkins and Carl McQuillian being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Tristan Jenkins, Oil and Gas Inspector representing the Secretary, say that said work was commenced on the 28th day of January 2011, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	3100	3000	5 1/2 1830	349
Cement	2870	2750	7 299	1461
Cement	2200	2000	7" perfed @ 1474 1457 1434	
Cement	1800	1700	1410 800-700 760 750	
Cement	1500	1400	10 65	735
Cement	800	700		
Cement	450	350		
Cement	100	surface		

Note: 6% gel placed between cement plugs

Description of monument: 7" casing extending 30" above surface  
and filling said well was completed on the 17th day of February, 2011  
And further deponents saith not.


and that the work of plugging

Sworn and subscribed before me this 18th day of February, 2011

My commission expires: June 7, 2020

Notary Public

Oil and Gas Inspector:



STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: J.R. SHREVE Operator Well No.: 510887 (BIG7H1)

LOCATION: Elevation: 927' Quadrangle: BIG RUN  
District: WESTON County: WETZEL  
Latitude: 434' Feet South of 39° Deg. 35' Min. 0" Sec.  
Longitude: 10,010' Feet West of 80° Deg. 35' Min. 0" Sec.

Well Type: OIL \_\_\_\_\_ GAS X

Company	<u>EQT Production Co</u>	Coal Operator	<u>Reserve Coal Properties Co - Consolidation Coal</u>
	<u>625 Liberty Ave</u>	or Owner	<u>c/o Leatherwood, Inc / CNX Center 1000 Consol Energy Dr</u>
	<u>Pittsburgh, PA</u>		<u>Cannonsburg, PA 15317</u>
Agent	<u>Rex C. Ray</u>	Coal Operator	_____
Permit Issued Date	<u>8/16/12</u>	or Owner	_____

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of Wetzel ss:

Rex C. Ray and Darrel Bradley being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 25 day of January, 2013, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
<u>Standard Cement</u>	<u>0</u>	<u>215</u>	<u>NONE</u>	<u>13 3/8" - 375009 2 1/2"</u>
<u>Standard Cement</u>	<u>1970</u>	<u>1170</u>	<u>NONE</u>	<u>8 3/8" - 375009 2 1/2"</u>
<u>Standard Cement</u>	<u>1793</u>	<u>1993</u>	<u>NONE</u>	<u>8 3/8" - 375009 2 1/2"</u>
<u>Standard Cement</u>	<u>2647</u>	<u>2847</u>	<u>NONE</u>	<u>8 3/8" - 375009 2 1/2"</u>

Description of monument: \_\_\_\_\_ and that the work of plugging and filling said well was completed on the 25<sup>th</sup> day of January, 2013.


And further deponents saith not. Darrel Bradley

Bob Wadley

Sworn and subscribe before me this 29<sup>th</sup> day of January, 2013

My commission expires: 11 Feb 22

Victoria E. Dugan  
Notary Public



Affidavit reviewed by the Office of Oil and Gas: U - Title: Inspector